

Intervention Strategies

Responding to a Student Crisis

Planning how to respond to a suicidal crisis refers to how a school and its staff respond to a student that threatens or attempts suicide. A suicidal crisis occurs any time when the risk for suicide is raised by any peer, teacher, or other staff member that identifies a student as potentially suicidal (1).

A student may make a statement about suicide in writing assignments, in a drawing or indirect verbal expression, or overtly voice suicidal threats or behaviors (2). Although the most ideal intervention strategy for suicidal behavior is prevention, sometimes prevention efforts fail to identify or detract a student from voicing suicidal thoughts or expressing suicidal behaviors (3). If such prevention efforts fail, skills and procedures for intervening with a student potentially at risk for suicide are essential for administrators, faculty, and staff. School-based suicide intervention strategies consist of those school-related activities that are designed to appropriately and effectively handle a student presently making a suicidal threat and/or attempt (4).

Staff should be made aware of established intervention procedures that a school will take when a student expresses suicidal ideations (thoughts) or demonstrates suicidal behavior (1,7,8). Some recommend that these policies and procedures be contained in a crisis management guide that provides information about warning signs, risk/protective factors, and suicide prevention guidelines (gatekeeper training, curriculum, or screening) (17). An effective crisis response will be guided by a response plan developed in advance of a suicidal crisis, which identifies step-by-step what to do should a student threaten or attempt suicide (5,8,9,14,).


Most schools tend to respond to a suicidal crisis in an unorganized fashion and a contributing factor for this unorganized response is due to the lack of an established plan of action when faced with a suicidal crisis (4). By acting in an unorganized way, schools may not be successful at intervening with a student experiencing a suicidal crisis, which could result in a tragic loss of a life, or in some cases, may contribute to further copycat behaviors by other students (15). A clearly written plan will help facilitate an organized and more effective response to a suicidal crisis (16).

Suggested Citation: Doan, J., Lazear, K., & Roggenbaum, S. (2003). *Youth suicide prevention school-based guide—Issue brief 6a: Responding to a student crisis*. Tampa, FL: Department of Child and Family Studies, Division of State and Local Support, Louis de la Parte Florida Mental Health Institute, University of South Florida. (FMHI Series Publication #218-6c)

This publication is also available on-line as an Adobe Acrobat PDF file:
<http://www.fmhi.usf.edu/institute/pubs/bysubject.html> or
<http://cfs.fmhi.usf.edu/cfsinfo/hotpubs.cfm>

6c

Issue Brief



Prepared By:

Justin Doan
Katherine Lazear
Stephen Roggenbaum

Design & Page Layout: Bill Leader

© 2003, Louis de la Parte Florida Mental Health Institute



Developed by...

The Louis de la Parte Florida Mental Health Institute at the University of South Florida, funded by the Institute for Child Health Policy at NOVA Southeastern University through a Florida Drug Free Communities Program Award.

Events, activities, programs and facilities of The University of South Florida are available to all without regard to race, color, marital status, sex, religion, national origin, disability, age, Vietnam or disabled veteran status as provided by law and in accordance with the University's respect for personal dignity.

Responding to a Student Crisis

Although each suicidal crisis situation is unique there are some commonly held do's and don'ts when responding to a student that may be experiencing a suicidal crisis and is need of help. The following checklist was created by synthesizing materials from several sources, all of which discussed ways for responding to a student threatening suicide or actually attempting suicide (1,2,5-7,34-39).

What to DO

When Faced with a Student Experiencing a Crisis

■ Always ensure a students safety.

The main goal when encountering a student expressing suicidal thoughts or behaviors is to prevent the act from happening (9). One way to do this is to ask whether the student has a plan in mind: "Have you thought about how you would kill yourself?" or "have you made any plans or preparations?" If the student does have a plan, then does he or she have access to a method for completing/attempting this plan: "Do you have access to a gun" or "Do you have the pills". It would also be important to find out if the student has a time or location, when or where he or she plans on attempting suicide.

- If the student does have a plan and has access to a method or just seems unsafe, remain with the student until a crisis team member arrives.

■ Send someone for help.

This is essential. Most often the crisis team member in the building or closest to the building where the crisis is occurring should be notified first.

■ Listen.

- Acknowledge feelings and problems in the student's terms. Try to avoid complicated language.
- Allow the student to express feelings- a teacher may want to openly communicate giving the student permission to express his or her feelings.

What NOT to DO

When Faced with a Student Experiencing a Crisis

■ Don't ever dare a student to attempt suicide.

■ Don't debate with the student about whether suicide is right or wrong.

■ Don't promise secrecy or confidentiality.

It may advisable just to let the student know that you don't want to see him or her kill themselves and that you just want to make sure that he or she gets the best help possible, and that maybe you are not the best person to provide such care. Limitations to confidentiality should be explained to the student without pushing him or her away. Issues such as danger to self or others and physical and sexual abuse will not be kept secret. If an educator knows, or reasonably suspects, abuse or neglect, he or she must inform the United States Department of Human Services by calling 1-800-452-1999. In Florida educators can call 96ABUSE (962-2873). Educators must also inform the school administrator, who will document the suspected or known incident.

■ Don't panic.

■ Don't rush or lose patience with the student.

Realize that you may need to spend some time with this student in order to ensure that he or she will remain safe. Try to have as much privacy as possible when talking to the student.

■ Don't act shocked.

If you do so, the student is likely to feel that the situation is so bad that no one can help. This will destroy any chance for rapport and is likely to put distance between you and the student.

What to DO continued

When Faced with a Student Experiencing a Crisis

- Try to avoid giving advice or opinions. Try and repeat back the feelings that you hear the student expressing (“you sound frustrated” or “you feel hopeless”).
- Listen for warning signs such as hopelessness or a fixation with death.

■ **Be Direct.**

Talk openly about suicide. Do not be afraid to say the word suicide. Do not worry about planting the idea in the student’s head. Suicide is a crisis of non-communication and despair; by asking about it you allow for communication to occur and provide hope (34).

■ **Remain calm.**

■ **Be empathetic.**

■ **Always take the student seriously.**

■ **Know what resources are available in your school before hand.**

Know who your nearest crisis team member and where to find them.

■ **Be honest.**

Offer hope, but do not offer condescending or unrealistic reassurance.

■ **Know your limits.**

If you feel that you are in way over your head, or if you feel uncomfortable, minimize your level of involvement. Make a referral to someone else that may be in a better position to help. If you feel the student is in immediate danger, escort the student to the referral yourself. If you do not feel that the student needs an escort, you still should check to see if the referral was followed up on. Usually a simple phone call to the person you referred the student should be sufficient.

■ **Make sure that at each stage of the intervention the student knows what is going on.**

Do not surprise the student by escorting him/her to a room with a ten-member crisis team waiting. Make sure that you explain to the student what events and responses they can expect. Remember a suicide crisis is a chaotic and confusing situation. By not providing and communicating structure in your response, you may unintentionally create more chaos and confusion, thereby increasing the likelihood that the student will refuse to cooperate.

What NOT to DO continued

When Faced with a Student Experiencing a Crisis

■ **Don’t be judgmental.**

Avoid offering opinions of right vs. wrong or ethical vs. unethical. The main aspect of communication is just to listen and show concern.

■ **Don’t preach to the student.**

Avoid discussing the value of life and how such a tragic act would affect his family and friends. These people may be contributing to the student’s suicidal crisis and the student may wish to hurt these people through suicide.

■ **Never leave the student alone or send the student away.**

This may just reinforce feelings of isolation and hopelessness.

■ **Don’t worry about silence during discussion.**

Just let the student know that you are there, and you are willing to listen.

■ **Don’t under-react or minimize.**

By under-reacting, you communicate that you don’t really respect the student’s feeling and don’t believe that the student is serious. By doing this, you just reinforce the student’s feeling that no one understands or cares. Assuming that a student is attention seeking is usually the reason behind under-reacting. Even if a student is seeking attention, you should act. The benefits could certainly out way the costs.

■ **If a student is threatening suicide and does have a weapon, never try to physically take the weapon from the student.**

This could endanger your life, the life of the student, and the lives of other persons in the school.

What to DO continued

When Faced with a Student Experiencing a Crisis

■ Inform Parents.

Parents/caretakers must always be informed when their adolescent son or daughter has been identified as experiencing a suicidal, or for that matter, any crisis.

- The school must inform the parents about community agencies, such as mental health providers before, during, and after a suicidal crisis. School should also work with parents to develop a plan of action for getting the student help.
- Schools should also inform parents, before a suicidal crisis, about the risk factors and warning signs for suicide. This could be done briefly and possibly in a PTA meeting or other parent teacher meetings. During this time schools should also inform parents about the necessity of restricting access to lethal means, as well as informing them about community resources that may be available should they suspect that their adolescent may need help. For more on parent education, please refer to Issue Brief 5: Prevention Guidelines.
- Reassure the parents that their student is currently safe.
- Explain to the parents what has happened and the reason for the school's response.
- More importantly, the school must explain the seemingly obvious necessity of restricting access to lethal means that the student has available. Parents must be told that an extremely effective way to prevent their adolescent son or daughter from dying by suicide is to make sure there is no way their adolescent son or daughter has any way of getting the weapon.

Responding to Various Levels of Risk

In order to make an appropriate referral it is important that someone who is trained in lethality and risk determination assess the risk of the student (1,5,6,8,9,38). Although it is beyond the scope of educators and or administrators to directly assess risk, some important notes must be made and should be disseminated to all school staff. In all of these situations remember the dos and don'ts when responding to a student experiencing a suicidal crisis.

Level 1 Low or moderate risk

- Staff member observes behaviors or warning signs that indicate that a student may be at risk.
- Student may have verbalized suicidal thoughts, but does not have a plan and does not have access to a potentially lethal weapon.

In a low risk situation, the crisis team member nearest the situation should be notified. The crisis team member will meet with student to determine extent of the problem, and if the possibility of harm is not imminent then the parents should be notified. The crisis team member should also follow-up periodically (once a week maybe for first month or two and then less frequently). If, however, in the assessment, there is a potential that the student may harm him/herself, then risk is increased to level two or severe risk situation.

Level 2 Severe risk

- Student has overtly voiced the intent to engage in a suicidal act.
- Student has gone beyond mere thoughts and has thought of actual actions.
- Student does have a suicidal plan, but does not have the means to carry out his/her plan.

In a severe risk situation, the crisis team member nearest the situation should be notified, as well as school administration that a student has expressed the intent to engage in suicidal behavior. The student should be kept under constant supervision until student is under the care of a community professional or until parent(s) take the child home. Before leaving, however, it is critical that the parent(s) attend a brief intervention meeting where the crisis team, the parent(s), and the student agree upon a treatment plan. It is also essential that parents be informed about the importance of restricting or hiding any potentially lethal means. If parents do not appear willing to take any steps to intervene school crisis team member and/or school administrators have the option of calling the Division of Youth and Family Services (DYFS) in order to help ensure that the student will remain safe. Follow up must be done by the crisis team in order to make sure the student is progressing and that treatment is being maintained.

Level 3 Extreme risk

- Student has voiced the intent to engage in a suicidal act.
- Student has the access to lethal means needed to carry out this act.
- Student may have access to lethal means on person.

In the extreme risk situation, the crisis team member nearest the station should be notified of the situation. The crisis team and various community links should be mobilized. The parents of the student must be notified and informed about the observations and seriousness of the situation. If the student does possess potentially lethal means on person, do not attempt to take the weapon by force. Calmly talking to the student and allowing the student to express feelings is essential when intervening. Once the student has given up the potentially lethal weapon, crisis team members should intervene in similar fashion to a severe risk situation.

Responding to Various Levels of Risk continued

*In all of these afore mentioned situations it is essential that the student not be left alone and that he/she receives some sort of intervention or appropriate care.

Two other points must be made about a suicidal crisis. First, it is critical that other students in the school are kept as safe and clear from any potentially harmful situation (1, 9). For those students who may have witnessed the situation, allow them to express their fears, concerns, and feelings of responsibility or guilt. These students should also be assured the student who was experiencing the crisis is receiving help, but maintain confidentiality and keep the details of the crisis to a minimum. Inform the students about where they may receive help in the school or community. The school should also monitor friends of the student who experienced the crisis, as well as other students potentially at risk for suicidal behavior in order to prevent copycat behavior. Second, all staff and faculty involved in the crisis should be given opportunities to discuss their reactions and offered necessary support (1, 2, 6, 8). Staff and faculty should be allowed to express and process their feelings, their worries, concerns, or even their suggestions about what was done well and what could have been done better (8).

Although The Guide does not endorse any program over another, the following programs are simply meant to provide schools with some samples of programs that have used intervention strategies as part of their program. What components a school chooses to use and from what programs these components come from is the decision that each school will have to make. The important point is to provide an effective and comprehensive program that has the greatest potential to help and the least likely chance to harm. A brief sample of programs that have utilized intervention strategies include the Adolescent Suicide Awareness Program (ASAP), Lifelines Program, Youth Suicide Prevention Program for Virginia, the BRIDGES program (Building Skills to Reach Suicidal Youth), the Department of Crisis Intervention in Miami, FL, Project SOAR (Suicide: Options, Awareness, and Relief), the Maine Youth Suicide Prevention Program, the Oregon Plan for Youth Suicide Prevention, and UCLA's Center for Mental Health Services.

References

Intervention Strategies: Responding to a Student Crisis

1. The Maine Youth Suicide Prevention Program (2002). Youth suicide prevention intervention and postvention guidelines: A resource for school personnel. A program of Governor Angus S. King Jr. and the Maine Children's Cabinet.
2. Center for Mental Health in Schools at UCLA (2000). A resource aid packet on responding to a crisis at a school. Los Angeles, CA: Author.
3. Goldman, S. & Beardslee, W.R. (1999). Suicide in children and adolescents. In, D.G. Jacobs (Eds.). *The Harvard medical school guide to suicide assessment and intervention* (1st ed.). San Francisco, CA: Jossey-Bass Publishers.
4. King, K. (1999). High school suicide postvention: Recommendations for an effective program. *American Journal of Health Studies*, 15(4), 217–222.
5. Underwood, M.M., Dunne-Maxim, K. (1997). *Managing sudden traumatic loss in the schools: New Jersey adolescent suicide prevention project* (revised edition). Piscataway, New Jersey: University of Medicine and Dentistry of New Jersey- University Behavioral Healthcare.
6. Community Action For Youth Survival Project (SAVE). Retrieved May, 18, 2003, from the University of Illinois at Chicago: Institute for Juvenile Research, Department of Psychiatry. Funded by the Ronald McDonald House Charities.
7. Hicks, B.B. (1990). *Youth suicide: A comprehensive manual for prevention and intervention*. Bloomington, IN: National Education Service.
8. King, K. (2001). Developing a comprehensive school suicide prevention program. *The Journal of School Health*, 71(4), 132–137.
9. McKee, P.W., Jones, R.W., & Barbe, R.H. (1993). *Suicide and the school: A practical guide to suicide prevention*. Horsham, PA: LRP Publications.
10. The Oregon Plan for Youth Suicide Prevention (2000). Oregon Department of Human Services. Data retrieved August 22, 2003, from www.ohd.hr.state.or.us/ipe/2000plan/intro.cfm
11. Institute of Medicine (2002). *Reducing suicide: A national imperative*. Committee on Pathophysiology and prevention of adolescent and adult suicide, Board of Neuroscience and Behavioral Health: Washington, DC: The National Academies Press.
12. The Alaska Suicide Prevention Plan (2003). Statewide Suicide Prevention Council. Data retrieved August, 2003 from www.hss.state.ak.us/suicideprevention
13. Wenckstern, S. & Leenaars, A.A. (1991). Suicide postvention: a case illustration in a secondary school. In: A.A. Leenaars & S.Wenckstern (Eds.) *Suicide prevention in schools*. New York, NY: Hemisphere Publishing Corp.
14. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Injury Prevention and Control (1992). *Youth suicide prevention programs: A resource guide*. Retrieved March, 2003 from <http://aepo-xdv-www.epo.cdc.gov/wonder/prevguide>
15. Leenaars, A.A. & Wenckstern, S. (1990). *Suicide prevention in the schools*. New York, N.Y.: Hemisphere Publishing Corporation.
16. Roberts, R.L., Lepkowski, W.J., & Davidson, K.K. (1998). Dealing with the aftermath of a student suicide: A T.E.A.M approach. *National Association of Secondary School Principals Bulletin*, 82 (597), 53–59.

References continued

Intervention Strategies: Responding to a Student Crisis


17. Zenere, F.J. & Lazarus, P. J. (1997). The decline of youth suicidal behavior in an urban, multi-cultural public school system following the introduction of a suicide prevention and intervention program. *Suicide and Life-Threatening Behavior*, 27(4), 387–403.
18. Goldenberg, D., Grossman, J., Pokorny, S., & Mazur, C. (1996). Creating a safe environment: Training gatekeepers. Presentation at the 29th annual conference of the American Association of Suicidology, St. Louis, MO.
19. Glover, J. (1989). Establishing a suicide prevention program for secondary schools. *Student Assistance Journal*, 2(2), 15–20.
20. Kirk, W.G. (1993). Adolescent suicide. A school based approach to assessment and intervention. Champaign, IL: Research Press.
21. Malley, P.B., Kush, F., & Bogo, R.J. (1994). School-based adolescent suicide prevention and intervention programs: a survey. *School Counselor*, 42, 30–136.
22. Mackesy-Amiti, M.E., Fendrich, M., Libby, S., Goldenberg, D., & Grossman, J. (1996). Assessment of knowledge gains in proactive training for postvention. *Suicide and Life-Threatening Behavior*, 26, 161–174.
23. Shaffer, D., Garland, A., & Whittle, R. (1988). An evaluation of three youth suicide prevention programs in New Jersey. Adolescent Suicide Prevention Project. Final Project Report, Trenton, NJ: New Jersey Department of Human services: Governor's Advisory Council on Youth Suicide Prevention.
24. Leane, W. & Shute, R. (1998). Youth suicide: The knowledge and attitudes of Australian teachers and clergy. *Suicide and Life-Threatening Behavior*, 28, 165–173.
25. Kalafat, J. (2003). School approaches to youth suicide prevention. *American Behavioral Scientist*, 46 (9), 1211–1223.
26. Mazza, J.J. (1997). School-based suicide prevention programs: Are they effective? *The School Psychology Review*, 26(3), 382-96.
27. Berman, A.L. & Jobes, D.A. (1995). Suicide prevention in adolescents (ages 12-18). *Suicide and Life-Threatening Behavior*, 25, 143–154.
28. Gould, M., Greenberg, T., Velting, D., & Shaffer, D. (2003). Youth suicide risk and preventive interventions: A review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(4), 386-405.
29. Garland, A.F. & Zigler, E. (1993). Adolescent suicide prevention: Current research and social policy implications. *American Psychologist*, 48 (2), 169–182.
30. Parental Division of the American Association of Suicidology. (1999). Guidelines for school-based suicide prevention programs. Retrieved March 18, 2003, from www.suicidology.org/associations/1045/files/School%20guidelines.pdf
31. O'Carroll, P.W., Potter, L.B., & Mercy, J.A. (1994). Programs for the prevention of suicide among adolescents and young adults. *Morbidity and Mortality Weekly Report*, 43 9 (RR-6); 1–7. Atlanta: US Department of Health and Human Services, Public Health Service, CDC.
32. Kalafat, J. & Brown, C.H. (2001). Suicide prevention and intervention: Summary of a workshop. The National Academy of Sciences, Retrieved April 22, 2003 from www.nap.edu/openbook/0309076242/html/4.html
33. Tierney, R.J. (1994). Suicide intervention training evaluation: A preliminary report. *Crisis*, 15 (2), 69–76.

References continued

Intervention Strategies: Responding to a Student Crisis

34. Capuzzi, D. & Golden, L. (1988). Preventing adolescent suicide. Muncie, IN: Accelerated Development, Inc.
35. Thompson, R.A. (1988). In: D. Capuzzi & L. Golden (Eds.), Preventing adolescent suicide. Muncie, IN: Accelerated Development, Inc.
36. Kalafat, J. (2003). School approaches to youth suicide prevention. *American Behavioral Scientist*, 46 (9), 1211–1223.
37. Kalafat, J. & Underwood, M. (1989). Lifelines: A school-based adolescent suicide response program. Dubuque, Iowa: Kendall & Hunt Publishing.
38. Broward County Suicide Prevention Manual. Data retrieved from Blair Middle School June 5, 2003.
39. Center for Mental Health in Schools at UCLA (2003). A technical assistance sampler on school interventions to prevent youth suicide. Los Angeles, CA: Author.

Notes



The Guide's Research Team at the Louis de la Parte Florida Mental Health Institute/USF:

- Katherine Lazear
- Stephen Roggenbaum
- Justin Doan

The Youth Suicide Prevention Prototype Program's (YSPPP) Research Team at the Institute for Child Health Policy/NSU:

- Deborah Mulligan-Smith, MD FAAP FACEP
Principal Investigator
- Cheng Wang, MSci MA
- Maritza Concha, MA
- Ronald Levant, EdD MBA ABPP
- Steven Campbell, PhD

Contact: Stephen Roggenbaum
roggenba@fmhi.usf.edu
813-974-6149 (voice)